


## HOT ROLLED “TEE” BARS



**MATERIAL:** Hot Rolled Steel Bars With T-Shaped Cross-Section (Tees)

**STEEL QUALITY:** S235JRG2 acc. to EN 10025 (RSt 37.2 acc. to DIN 17100)

**LENGTH:** Bar length 6 or 12 m

**TOLERANCES:** Acc. to DIN 1024

Width Gjerësia (w) mm	Thickness (s) mm Weight Kg/m - Trashësia (s) mm Pesha Kg/m														
	3	4	5	6	7	8	9	10	12	13	15	16	17	18	20
15	0.64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	0.68	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	0.88	1.14	-	-	-	-	-	-	-	-	-	-	-	-	-
25	1.11	1.45	1.78	-	-	-	-	-	-	-	-	-	-	-	-
30	1.36	1.78	2.18	-	-	-	-	-	-	-	-	-	-	-	-
35	1.6	2.1	2.57	-	-	-	-	-	-	-	-	-	-	-	-
40	1.84	2.42	2.97	3.52	-	-	-	-	-	-	-	-	-	-	-
45	2.09	2.74	3.38	4	-	-	-	-	-	-	-	-	-	-	-
50	3.33	3.06	3.77	4.47	5.15	5.82	-	-	-	-	-	-	-	-	-
55	-	3.33	4.12	4.9	5.68	-	-	-	-	-	-	-	-	-	-
60	-	3.7	4.57	5.42	6.21	7.09	-	8.69	-	-	-	-	-	-	-
65	-	-	4.91	5.91	6.76	7.73	8.62	-	-	-	-	-	-	-	-
70	-	-	5.37	6.38	7.38	8.36	9.34	10.3	-	-	-	-	-	-	-
75	-	-	5.69	6.78	7.86	8.92	10.1	11	-	-	-	-	-	-	-
80	-	-	-	7.34	8.49	9.63	10.8	11.9	-	-	-	-	-	-	-
90	-	-	-	-	9.51	10.9	12.2	13.4	-	-	-	-	-	-	-
100	-	-	-	-	-	12.2	13.7	15	17.8	-	21.9	-	-	-	-
110	-	-	-	-	-	-	-	16.5	19.7	-	-	-	-	-	-
120	-	-	-	-	-	-	-	18.2	21.6	23.2	26.6	-	-	-	-
130	-	-	-	-	-	-	-	19.7	23.4	25.2	29	30.9	-	-	-
140	-	-	-	-	-	-	-	-	25.4	27.3	31.2	-	35.1	-	-
150	-	-	-	-	-	-	-	23	27.3	-	33.8	35.9	-	40.1	-
160	-	-	-	-	-	-	-	-	-	-	36.2	38.4	40.4	-	-
180	-	-	-	-	-	-	-	-	-	-	40.9	43.5	45.8	48.6	53.7
200	-	-	-	-	-	-	-	-	-	-	-	48.5	-	54.3	59.9