

**SEAMLESS CARBON STEEL WELDING
FITTINGS ANSI B16.9**

Specification : ANSI B16.9


Material : ASTM A234 WPB



		Bërryla - Elbows 90° L.R. SCH STD (≤ 10" SCH40)		Bërryla - Elbows 90° L.R. SCH XS (≤ 8" SCH80)		Bërryla - Elbows 45° L.R. SCH STD (≤ 10" SCH40)		
		Trashësia	Pesha	Trashësia	Pesha	Trashësia	Pesha	
		Thick-ness	Weight	Thick-ness	Weight	Thick-ness	Weight	
Përmasat	Diam. Jashtëm	Rrezja Mesatare	T	T	T	T	T	
Size	Ext.Dia. mm	Mean Radius mm	mm	mm	mm	mm	mm	
			kg		kg		kg	
1/2"	21	38	2.77	0.08	3.73	0.1	2.77	0.04
3/4"	27	27 29	2.87	0.1	3.91	0.13	2.87	0.05
1"	33	38	3.38	0.15	4.55	0.2	3.38	0.07
1.1/4"	42	48	3.56	0.25	4.85	0.33	3.56	0.12
1.1/2"	48	57	3.68	0.36	5.08	0.48	3.68	0.18
2"	60	76	3.91	0.65	5.54	0.9	3.91	0.32
2.1/2"	73	95	5.16	1.29	7.01	1.7	5.16	0.64
76,1 × 5	76	95	5	1.36				
3"	89	114	5.49	2.02	7.62	2.73	5.49	1.01
3.1/2"	102	133	5.74	2.83				
4"	114	152	6.02	3.84	8.56	5.34	6.02	1.92
5"	141	190	6.55	6.51	9.53	9.24	6.55	3.25
6"	168	2	7.11	10.1	10.97	15.3	7.11	5.05

8"	218	305	8.18	20.3	12.7	30.9	8.18	10.2
10"	273	381	9.27	36			9.27	18
12"	324	457	9.53	53	12.7	70		
14"	356	533	9.53	68				
16"	406	610	9.53	89.2				
18"	457	686	9.53	113				
20"	508	762	9.53	140				

Bërryla - Elbows 180°				
SCH STD (≤ 10" SCH40)				
	Diam. Jasht.		Trashësia	Pesha
	Ext.Dia.		Thick-ness	Weight
Përmasat	D	C	T	kg
Size	mm	mm	mm	
2.1/2"	73	190	5.16	2.6



Τα βάρη είναι ενδεικτικά - Weights are approximate

**SEAMLESS BUTT-WELDING FITTINGS
EUROPEAN ORIGIN ANSI B16.9**

Specification : ANSI B16.9

Material : ASTM A234 WPB



			Bërryla - Elbows 90° L.R.	Bërryla - Elbows SR 90° L.R.		Bërryla - Elbows 45° L.R.		
			SCH STD (≤ 10" SCH40)					
	Diam. Jashtëm Ext.Dia.	Trashësia Thick-ness	Rrezja Mesatare Mean Radius	Pesha Weight	Rrezja Mesatare Mean Radius	Pesha Weight	Rrezja Mesatare Mean Radius	Pesha Weight
Përmasat Size	D mm	T mm	A mm	kg	A mm	kg	A mm	kg
1/2"	21	2.77	38	0.08			38	0.04
3/4"	27	2.87	29	0.1			29	0.05
1"	33	3.38	38	0.15			38	0.07
1.1/4"	42	3.56	48	0.25			48	0.12
1.1/2"	42	3.68	57	0.36			57	0.18
2"	42	3.91	76	0.65	51	0.44	76	0.32
2.1/2"	42	5.16	95	1.29			95	0.64
3"	42	5.49	114	2.02	76	1.35	114	1.01
4"	42	6.02	152	3.84			152	1.92
5"	42	6.55	190	6.51			190	3.25
6"	42	7.11	229	10.1	152	6.73	229	5.05
8"	42	8.18	305	20.3	203	13.5	305	10.2

10"	42	9.27	381	36	254	24	381	18
12"	42	9.53	457	53	305	35.3	457	26.5
14"	42	9.53	533	68			533	34
16"	42	9.53	910	89.2			910	
18"	42	9.53	686	113			686	
20"	42	9.53	762	140			762	