

65	76,1	145	185	22	52	90	2,90	6	10	122	3	18	M16	8	3,680
80	88,9	160	200	24	58	105	3,20	8	12	138	3	18	M16	8	4,780
100	114,3	190	235	24	65	134	3,60	8	12	162	3	22	M20	8	6,460
125	139,7	220	270	26	68	162	4,00	8	12	188	3	26	M24	8	8,860
150	168,3	250	300	28	75	192	4,50	10	12	218	3	26	M24	8	11,700
200	219,1	320	375	34	88	244	6,30	10	16	285	3	30	M27	12	21,000
250	273,0	385	450	38	105	306	7,10	12	18	345	3	33	M30	12	34,200
300	323,9	450	515	42	115	362	8,00	12	18	410	4	33	M30	16	47,600
350	355,6	510	580	46	125	408	8,80	12	20	465	4	36	M33	16	69,300
400	406,4	585	660	50	135	462	11,00	12	20	535	4	39	M36	16	98,000
450	457,0	610	685	57	135	500	12,50	12	20	560	4	39	M36	20	105,000
500	508,0	670	755	57	140	562	14,20	12	20	615	4	42	M39	20	130,000
600	610,0	795	890	72	150	666	16,00	12	20	735	5	48	M45	20	209,000

1. SURFACE FINISH FACING TYPES A, B1, B2 etc

2. Flange MARKING: LOGO EN 1092-1 / 11 B1 / DN100 / PN40 / P245GH / HEAT NUMBER